

Bri Dupras, REHS/RS  
Health Director

# CITY OF EASTHAMPTON

## BOARD OF HEALTH

50 Payson Avenue  
Easthampton, MA 01027  
(413) 529-1430 TEL  
(413) 529-1442 FAX




**Public Health**  
Prevent. Promote. Protect.

## Requirement for Extermination for Rodents in Buildings to be Demolished

The Health Department requires the following be conducted **before** demolition of property:

1. A licensed and professional exterminator must be hired to perform the extermination of the building(s) to be demolished.
2. The licensed exterminator must assess the building and treat the building/surrounding areas based on their assessment. Their assessment and treatment plan must be submitted in writing and approved by the Health Department *prior to the demolition*.
3. The Board of Health must be notified of the date and time of the extermination so that an inspector can be present for inspecting and witnessing.
  - a. A 'Witness of Extermination' form shall be completed by a Health Department inspector and signed off on by the licensed pest control company at time of extermination. See next page.
4. Copies of all pest control documentation must be submitted to the Health Department.



Bri Dupras, REHS/RS  
Health Director

# CITY OF EASTHAMPTON

## BOARD OF HEALTH

50 Payson Avenue  
Easthampton, MA 01027  
(413) 529-1430 TEL  
(413) 529-1442 FAX



**Public Health**  
Prevent. Promote. Protect.

### Witness of Extermination

Date: \_\_\_\_\_ Time: \_\_\_\_\_

Property Address: \_\_\_\_\_

Property Owner: \_\_\_\_\_ Phone #: \_\_\_\_\_

Licensed Pest Control Company: \_\_\_\_\_

Address: \_\_\_\_\_ Phone #: \_\_\_\_\_

Licensed Exterminator Name & License #: \_\_\_\_\_

Assessment and treatment plan submitted & approved

Health Dept. agent/inspector confirmed on-site that treatment has been done in accordance with written plan

Pesticides applied:

\_\_\_\_\_

Notes:

\_\_\_\_\_

\_\_\_\_\_  
*I hereby certify, under the pains and penalties of perjury, that I to the best of my knowledge and belief, have applied the above noted pesticide in accordance with M.G.L. Chapter 132B and any other applicable law or regulation.*

\_\_\_\_\_  
**Health Dept. Representative**

\_\_\_\_\_  
**Signature of Exterminator**

\*Demolition best practices relating to fugitive dust and debris must be adhered to in accordance with MGL Chapter 111, Section 122.